

# Indicators for early RA

2017 - 2021

Published 27 April 2023

[info@srq.nu](mailto:info@srq.nu)



**SRQ**

Svensk Reumatologis Kvalitetsregister

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Process</b>	<b>2</b>
<b>3</b>	<b>DAS28</b>	<b>8</b>
<b>4</b>	<b>VAS Pain</b>	<b>13</b>
<b>5</b>	<b>CDAI</b>	<b>16</b>

# List of Tables

2.1	Percentage of patients with at least one visit in SRQ after 1 year from diagnosis (goal $\geq 90\%$ ), by unit and year of diagnosis. . . . .	3
2.2	Percentage of patients with at least one DAS28 value 1 year after diagnosis (goal $\geq 90\%$ ), by unit and year of diagnosis. . . . .	4
2.3	Percentage of patients with at least one VAS pain value 1 year after diagnosis, by unit and year of diagnosis. . . . .	5
2.4	Percentage of patients with at least one CDAI value 1 year after diagnosis, by unit and year of diagnosis. . . . .	6
2.5	Percentage of patients with a registration in the cardiovascular module within 15 months (goal $\geq 75\%$ ), by unit and year of diagnosis. . . . .	7
3.1	Percentage of patients (with no missing DAS 28) who reached low disease activity (DAS28 $\leq 3.2$ ) 1 year after diagnosis (goal $\geq 75\%$ ), by unit and year of diagnosis. . . . .	9
3.2	Percentage of all patients (including patients with missing data) who reached low disease activity (DAS28 $\leq 3.2$ ) 1 year after diagnosis, by unit and year of diagnosis. . . . .	10
3.3	Percentage of patients (with no missing DAS 28) who reached remission (DAS28 $< 2.6$ ) 1 year after diagnosis (goal $\geq 55\%$ ), by unit and year of diagnosis. . . . .	11
3.4	Percentage of all patients (including patients with missing data) who reached remission (DAS28 $< 2.6$ ) 1 year after diagnosis (goal $\geq 55\%$ ), by unit and year of diagnosis. . . . .	12

---

4.1	Percentage of patients (with no missing value of VAS pain) who reached VAS pain < 20 1 year after diagnosis (goal $\geq$ 50%), by unit and year of diagnosis. . . . .	14
4.2	Percentage of all patients (including patients with missing data) who reached VAS pain <20 1 year after diagnosis, by unit and year of diagnosis. . . . .	15
5.1	Percentage of patients (with no missing CDAI) who reached CDAI $\leq$ 2.8 1 year after diagnosis, by unit and year of diagnosis. . . . .	17
5.2	Percentage of all patients (including patients with missing data) who reached CDAI $\leq$ 2.8 1 year after diagnosis, by unit and year of diagnosis. . . . .	18

# 1 Introduction

The following analyses are based on all patients with newly diagnosed rheumatoid arthritis (RA) diagnosed between 2017 and 2021 (450 days before the data extraction), with a follow-up visit one year after diagnosis (defined as a visit between 9 and 15 months). If a patient had more than one visit during this time window, the visit with the best (i.e., lowest) value of DAS28, VAS pain and CDAI, respectively, was used in the analyses.

# 2 Process

In this section, the process of evaluating patients one year after diagnosis is evaluated. We have analyzed all patients with RA as defined above.

## In this section

2.1	Percentage of patients with at least one visit in SRQ after 1 year from diagnosis (goal $\geq 90\%$ ), by unit and year of diagnosis. . . . .	3
2.2	Percentage of patients with at least one DAS28 value 1 year after diagnosis (goal $\geq 90\%$ ), by unit and year of diagnosis. . . . .	4
2.3	Percentage of patients with at least one VAS pain value 1 year after diagnosis, by unit and year of diagnosis. . . . .	5
2.4	Percentage of patients with at least one CDAI value 1 year after diagnosis, by unit and year of diagnosis. . . . .	6
2.5	Percentage of patients with a registration in the cardiovascular module within 15 months (goal $\geq 75\%$ ), by unit and year of diagnosis. . .	7

Table 2.1: Percentage of patients with at least one visit in SRQ after 1 year from diagnosis (goal  $\geq 90\%$ ), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	59% (770/1305)	56% (694/1237)	48% (618/1284)	57% (757/1334)	63% (917/1450)
Akademiska sjh Uppsala	39% (17/44)	45% (17/38)	53% (18/34)	49% (26/53)	61% (30/49)
Alingsås las.	50% (5/10)	25% (2/8)	<5	<5	67% (4/6)
Ängelsholms sjh	40% (2/5)	40% (2/5)	0	40% (2/5)	67% (6/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	46% (16/35)	33% (5/15)	12% (2/16)	29% (4/14)	0% (0/5)
Bollnäs/Söderhamn sjh	73% (11/15)	62% (10/16)	50% (6/12)	47% (7/15)	67% (4/6)
Borås sjh	69% (24/35)	71% (12/17)	44% (11/25)	22% (5/23)	34% (10/29)
Capio Movement	71% (24/34)	63% (17/27)	74% (26/35)	60% (21/35)	65% (20/31)
Capio Simrishamn	85% (11/13)	50% (4/8)	30% (3/10)	30% (3/10)	<5
Centrallas. Växjö	11% (2/18)	33% (5/15)	7% (1/15)	19% (3/16)	43% (6/14)
Centralsjh Karlstad	<5	33% (2/6)	25% (2/8)	60% (6/10)	46% (13/28)
Centralsjh Kristianstad	67% (20/30)	68% (25/37)	52% (12/23)	81% (34/42)	78% (25/32)
CFR Stockholm	60% (53/88)	51% (53/104)	34% (35/104)	49% (53/108)	86% (127/147)
Danderyds sjh	64% (35/55)	31% (19/61)	15% (9/60)	33% (16/49)	40% (25/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	81% (57/70)	81% (55/68)	68% (44/65)	81% (67/83)	75% (49/65)
Gävle/Hudiksvall sjh	50% (22/44)	62% (29/47)	40% (19/47)	51% (26/51)	37% (23/63)
Helsingborgs las.	17% (2/12)	8% (1/13)	22% (4/18)	16% (5/31)	0% (0/11)
Karolinska US	80% (144/179)	78% (121/155)	75% (115/153)	75% (114/152)	80% (120/150)
Länssjh Kalmar	75% (12/16)	44% (4/9)	61% (11/18)	90% (9/10)	68% (13/19)
Länssjh Ryhov	22% (8/37)	38% (15/40)	42% (19/45)	62% (32/52)	34% (21/62)
Linköpings US	45% (25/56)	36% (22/61)	28% (19/69)	50% (27/54)	41% (22/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	47% (21/45)	52% (16/31)	60% (21/35)	56% (18/32)	83% (43/52)
Norrlands US	97% (33/34)	86% (25/29)	68% (21/31)	91% (30/33)	93% (38/41)
Örebro US	35% (12/34)	54% (21/39)	35% (9/26)	42% (16/38)	55% (26/47)
Örnsköldsviks sjh	40% (2/5)	<5	<5	86% (6/7)	33% (4/12)
Östersunds sjh	<5	<5	<5	45% (5/11)	57% (4/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	48% (57/118)	58% (52/89)	42% (37/89)	51% (43/85)	58% (63/109)
Skånes US Lund	66% (41/62)	84% (54/64)	68% (42/62)	65% (41/63)	73% (51/70)
Skånes US Malmö	52% (13/25)	33% (10/30)	38% (6/16)	22% (6/27)	23% (3/13)
Skövde sjh	33% (14/42)	31% (17/54)	32% (19/59)	63% (34/54)	94% (63/67)
Sunderby sjh	61% (19/31)	64% (18/28)	52% (24/46)	52% (14/27)	60% (21/35)
Sundsvalls sjh	39% (7/18)	60% (9/15)	37% (10/27)	55% (6/11)	15% (4/26)
Trelleborgs las.	<5	<5	50% (3/6)	14% (1/7)	<5
Uddevalla sjh	50% (11/22)	37% (7/19)	57% (12/21)	36% (9/25)	46% (13/28)
Västerås sjh	76% (22/29)	59% (19/32)	60% (21/35)	93% (40/43)	70% (26/37)
Västerviks sjh	59% (10/17)	50% (17/34)	49% (20/41)	48% (19/40)	82% (28/34)
Visby las.	69% (11/16)	55% (6/11)	75% (15/20)	60% (6/10)	46% (6/13)

Table 2.2: Percentage of patients with at least one DAS28 value 1 year after diagnosis (goal  $\geq 90\%$ ), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	48% (632/1305)	45% (561/1237)	34% (431/1284)	43% (567/1334)	51% (736/1450)
Akademiska sjh Uppsala	32% (14/44)	32% (12/38)	18% (6/34)	25% (13/53)	47% (23/49)
Alingsås las.	50% (5/10)	12% (1/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	20% (1/5)	0	0% (0/5)	0% (0/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	43% (15/35)	27% (4/15)	0% (0/16)	14% (2/14)	0% (0/5)
Bollnäs/Söderhamn sjh	73% (11/15)	62% (10/16)	42% (5/12)	33% (5/15)	67% (4/6)
Borås sjh	66% (23/35)	59% (10/17)	32% (8/25)	22% (5/23)	31% (9/29)
Capio Movement	65% (22/34)	52% (14/27)	54% (19/35)	43% (15/35)	52% (16/31)
Capio Simrishamn	77% (10/13)	38% (3/8)	20% (2/10)	20% (2/10)	<5
Centrallas. Växjö	6% (1/18)	13% (2/15)	0% (0/15)	12% (2/16)	14% (2/14)
Centralsjh Karlstad	<5	33% (2/6)	25% (2/8)	50% (5/10)	36% (10/28)
Centralsjh Kristianstad	67% (20/30)	68% (25/37)	39% (9/23)	60% (25/42)	62% (20/32)
CFR Stockholm	57% (50/88)	45% (47/104)	24% (25/104)	30% (32/108)	75% (110/147)
Danderyds sjh	0% (0/55)	0% (0/61)	0% (0/60)	22% (11/49)	35% (22/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	66% (46/70)	66% (45/68)	49% (32/65)	67% (56/83)	65% (42/65)
Gävle/Hudiksvall sjh	45% (20/44)	53% (25/47)	32% (15/47)	41% (21/51)	25% (16/63)
Helsingborgs las.	8% (1/12)	8% (1/13)	0% (0/18)	0% (0/31)	0% (0/11)
Karolinska US	75% (134/179)	71% (110/155)	59% (91/153)	64% (97/152)	66% (99/150)
Länssjh Kalmar	75% (12/16)	44% (4/9)	56% (10/18)	90% (9/10)	58% (11/19)
Länssjh Ryhov	16% (6/37)	35% (14/40)	38% (17/45)	52% (27/52)	27% (17/62)
Linköpings US	36% (20/56)	28% (17/61)	20% (14/69)	46% (25/54)	33% (18/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	40% (18/45)	48% (15/31)	54% (19/35)	56% (18/32)	77% (40/52)
Norrlands US	91% (31/34)	79% (23/29)	65% (20/31)	88% (29/33)	76% (31/41)
Örebro US	32% (11/34)	44% (17/39)	23% (6/26)	32% (12/38)	43% (20/47)
Örnsköldsviks sjh	20% (1/5)	<5	<5	57% (4/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	27% (3/11)	43% (3/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	42% (49/118)	43% (38/89)	17% (15/89)	27% (23/85)	45% (49/109)
Skånes US Lund	37% (23/62)	62% (40/64)	44% (27/62)	37% (23/63)	36% (25/70)
Skånes US Malmö	24% (6/25)	23% (7/30)	19% (3/16)	11% (3/27)	8% (1/13)
Skövde sjh	31% (13/42)	28% (15/54)	27% (16/59)	56% (30/54)	93% (62/67)
Sunderby sjh	45% (14/31)	36% (10/28)	28% (13/46)	33% (9/27)	51% (18/35)
Sundsvalls sjh	33% (6/18)	20% (3/15)	19% (5/27)	55% (6/11)	12% (3/26)
Trelleborgs las.	<5	<5	17% (1/6)	0% (0/7)	<5
Uddevalla sjh	23% (5/22)	21% (4/19)	33% (7/21)	28% (7/25)	39% (11/28)
Västerås sjh	66% (19/29)	56% (18/32)	40% (14/35)	65% (28/43)	51% (19/37)
Västerviks sjh	47% (8/17)	50% (17/34)	39% (16/41)	38% (15/40)	76% (26/34)
Visby las.	69% (11/16)	45% (5/11)	60% (12/20)	40% (4/10)	31% (4/13)



Table 2.3: Percentage of patients with at least one VAS pain value 1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	55% (718/1305)	51% (631/1237)	39% (498/1284)	47% (621/1334)	56% (805/1450)
Akademiska sjh Uppsala	39% (17/44)	37% (14/38)	32% (11/34)	28% (15/53)	53% (26/49)
Alingsås las.	50% (5/10)	25% (2/8)	<5	<5	0% (0/6)
Ängelsholms sjh	40% (2/5)	40% (2/5)	0	0% (0/5)	33% (3/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	43% (15/35)	33% (5/15)	6% (1/16)	7% (1/14)	0% (0/5)
Bollnäs/Söderhamn sjh	73% (11/15)	62% (10/16)	42% (5/12)	33% (5/15)	67% (4/6)
Borås sjh	66% (23/35)	65% (11/17)	40% (10/25)	22% (5/23)	34% (10/29)
Capio Movement	65% (22/34)	63% (17/27)	57% (20/35)	40% (14/35)	58% (18/31)
Capio Simrishamn	85% (11/13)	38% (3/8)	20% (2/10)	30% (3/10)	<5
Centrallas. Växjö	0% (0/18)	20% (3/15)	7% (1/15)	6% (1/16)	29% (4/14)
Centralsjh Karlstad	<5	33% (2/6)	25% (2/8)	50% (5/10)	39% (11/28)
Centralsjh Kristianstad	67% (20/30)	68% (25/37)	52% (12/23)	62% (26/42)	72% (23/32)
CFR Stockholm	57% (50/88)	48% (50/104)	22% (23/104)	31% (33/108)	79% (116/147)
Danderyds sjh	64% (35/55)	31% (19/61)	12% (7/60)	33% (16/49)	40% (25/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	77% (54/70)	74% (50/68)	63% (41/65)	73% (61/83)	69% (45/65)
Gävle/Hudiksvall sjh	45% (20/44)	55% (26/47)	36% (17/47)	45% (23/51)	25% (16/63)
Helsingborgs las.	8% (1/12)	8% (1/13)	17% (3/18)	10% (3/31)	0% (0/11)
Karolinska US	77% (137/179)	74% (114/155)	61% (93/153)	66% (100/152)	70% (105/150)
Länssjh Kalmar	75% (12/16)	44% (4/9)	50% (9/18)	90% (9/10)	63% (12/19)
Länssjh Ryhov	22% (8/37)	35% (14/40)	42% (19/45)	62% (32/52)	32% (20/62)
Linköpings US	45% (25/56)	34% (21/61)	26% (18/69)	50% (27/54)	37% (20/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	44% (20/45)	52% (16/31)	54% (19/35)	56% (18/32)	81% (42/52)
Norrlands US	94% (32/34)	86% (25/29)	68% (21/31)	88% (29/33)	88% (36/41)
Örebro US	35% (12/34)	49% (19/39)	27% (7/26)	37% (14/38)	49% (23/47)
Örnsköldsviks sjh	40% (2/5)	<5	<5	57% (4/7)	17% (2/12)
Östersunds sjh	<5	<5	<5	27% (3/11)	43% (3/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	42% (49/118)	46% (41/89)	26% (23/89)	35% (30/85)	49% (53/109)
Skånes US Lund	50% (31/62)	69% (44/64)	45% (28/62)	38% (24/63)	44% (31/70)
Skånes US Malmö	40% (10/25)	27% (8/30)	31% (5/16)	15% (4/27)	23% (3/13)
Skövde sjh	31% (13/42)	30% (16/54)	29% (17/59)	61% (33/54)	93% (62/67)
Sunderby sjh	58% (18/31)	57% (16/28)	39% (18/46)	37% (10/27)	60% (21/35)
Sundsvalls sjh	39% (7/18)	33% (5/15)	22% (6/27)	55% (6/11)	15% (4/26)
Trelleborgs las.	<5	<5	50% (3/6)	14% (1/7)	<5
Uddevalla sjh	41% (9/22)	37% (7/19)	38% (8/21)	36% (9/25)	46% (13/28)
Västerås sjh	69% (20/29)	59% (19/32)	51% (18/35)	74% (32/43)	57% (21/37)
Västerviks sjh	59% (10/17)	44% (15/34)	41% (17/41)	48% (19/40)	68% (23/34)
Visby las.	69% (11/16)	45% (5/11)	60% (12/20)	40% (4/10)	31% (4/13)

Table 2.4: Percentage of patients with at least one CDAI value 1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	26% (336/1305)	26% (316/1237)	19% (238/1284)	20% (268/1334)	27% (392/1450)
Akademiska sjh Uppsala	16% (7/44)	24% (9/38)	15% (5/34)	15% (8/53)	24% (12/49)
Alingsås las.	10% (1/10)	12% (1/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	0% (0/5)	0	0% (0/5)	0% (0/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	6% (2/35)	13% (2/15)	0% (0/16)	7% (1/14)	0% (0/5)
Bollnäs/Söderhamn sjh	67% (10/15)	44% (7/16)	17% (2/12)	13% (2/15)	33% (2/6)
Borås sjh	40% (14/35)	29% (5/17)	16% (4/25)	4% (1/23)	14% (4/29)
Capio Movement	29% (10/34)	30% (8/27)	11% (4/35)	29% (10/35)	29% (9/31)
Capio Simrishamn	69% (9/13)	0% (0/8)	0% (0/10)	0% (0/10)	<5
Centrallas. Växjö	0% (0/18)	0% (0/15)	0% (0/15)	0% (0/16)	7% (1/14)
Centralsjh Karlstad	<5	17% (1/6)	25% (2/8)	40% (4/10)	25% (7/28)
Centralsjh Kristianstad	63% (19/30)	57% (21/37)	43% (10/23)	57% (24/42)	62% (20/32)
CFR Stockholm	25% (22/88)	18% (19/104)	5% (5/104)	14% (15/108)	54% (79/147)
Danderyds sjh	18% (10/55)	11% (7/61)	8% (5/60)	14% (7/49)	14% (9/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	1% (1/70)	3% (2/68)	0% (0/65)	1% (1/83)	3% (2/65)
Gävle/Hudiksvall sjh	30% (13/44)	43% (20/47)	34% (16/47)	33% (17/51)	10% (6/63)
Helsingborgs las.	8% (1/12)	0% (0/13)	11% (2/18)	0% (0/31)	0% (0/11)
Karolinska US	50% (89/179)	55% (85/155)	44% (67/153)	42% (64/152)	41% (61/150)
Länssjh Kalmar	19% (3/16)	22% (2/9)	28% (5/18)	40% (4/10)	42% (8/19)
Länssjh Ryhov	11% (4/37)	25% (10/40)	16% (7/45)	37% (19/52)	24% (15/62)
Linköpings US	34% (19/56)	28% (17/61)	20% (14/69)	31% (17/54)	35% (19/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	29% (13/45)	23% (7/31)	26% (9/35)	31% (10/32)	40% (21/52)
Norrlands US	12% (4/34)	28% (8/29)	45% (14/31)	9% (3/33)	22% (9/41)
Örebro US	9% (3/34)	8% (3/39)	4% (1/26)	11% (4/38)	21% (10/47)
Örnsköldsviks sjh	0% (0/5)	<5	<5	14% (1/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	0% (0/11)	29% (2/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	21% (25/118)	16% (14/89)	10% (9/89)	7% (6/85)	17% (19/109)
Skånes US Lund	42% (26/62)	64% (41/64)	45% (28/62)	38% (24/63)	41% (29/70)
Skånes US Malmö	28% (7/25)	27% (8/30)	19% (3/16)	15% (4/27)	15% (2/13)
Skövde sjh	5% (2/42)	0% (0/54)	7% (4/59)	11% (6/54)	39% (26/67)
Sunderby sjh	0% (0/31)	11% (3/28)	7% (3/46)	7% (2/27)	6% (2/35)
Sundsvalls sjh	0% (0/18)	0% (0/15)	0% (0/27)	0% (0/11)	0% (0/26)
Trelleborgs las.	<5	<5	17% (1/6)	0% (0/7)	<5
Uddevalla sjh	5% (1/22)	0% (0/19)	5% (1/21)	0% (0/25)	18% (5/28)
Västerås sjh	41% (12/29)	22% (7/32)	26% (9/35)	33% (14/43)	27% (10/37)
Västerviks sjh	12% (2/17)	21% (7/34)	12% (5/41)	0% (0/40)	0% (0/34)
Visby las.	12% (2/16)	9% (1/11)	5% (1/20)	0% (0/10)	0% (0/13)

Table 2.5: Percentage of patients with a registration in the cardiovascular module within 15 months (goal  $\geq 75\%$ ), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	10% (112/1136)	11% (115/1078)	9% (97/1107)	10% (111/1156)	24% (309/1263)
Akademiska sjh Uppsala	3% (1/37)	3% (1/32)	0% (0/29)	0% (0/48)	39% (15/38)
Alingsås las.	0% (0/10)	0% (0/7)	<5	<5	0% (0/5)
Ängelsholms sjh	0% (0/5)	0% (0/5)	0	<5	0% (0/8)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	0% (0/25)	0% (0/12)	0% (0/14)	8% (1/12)	0% (0/5)
Bollnäs/Söderhamn sjh	0% (0/14)	0% (0/16)	0% (0/11)	0% (0/15)	0% (0/6)
Borås sjh	0% (0/27)	0% (0/16)	0% (0/22)	0% (0/19)	0% (0/26)
Capio Movement	3% (1/30)	9% (2/23)	0% (0/33)	0% (0/31)	12% (3/26)
Capio Simrishamn	0% (0/12)	0% (0/7)	0% (0/10)	0% (0/9)	<5
Centrallas. Växjö	0% (0/14)	0% (0/12)	0% (0/14)	0% (0/12)	25% (3/12)
Centralsjh Karlstad	0	0% (0/5)	0% (0/8)	0% (0/9)	0% (0/22)
Centralsjh Kristianstad	0% (0/27)	0% (0/36)	0% (0/23)	0% (0/39)	0% (0/29)
CFR Stockholm	3% (2/73)	0% (0/88)	0% (0/77)	12% (10/86)	59% (70/118)
Danderyds sjh	0% (0/52)	0% (0/51)	0% (0/54)	3% (1/37)	47% (28/59)
Falkenberg VC	0	<5	0	0	<5
Falu las.	38% (25/66)	7% (4/60)	9% (5/58)	12% (9/76)	65% (39/60)
Gävle/Hudiksvall sjh	0% (0/40)	0% (0/42)	0% (0/45)	0% (0/46)	0% (0/57)
Helsingborgs las.	0% (0/10)	0% (0/12)	0% (0/16)	0% (0/28)	0% (0/8)
Karolinska US	48% (74/154)	65% (86/132)	61% (81/133)	60% (79/131)	48% (64/133)
Länssjh Kalmar	0% (0/14)	0% (0/8)	0% (0/16)	0% (0/10)	0% (0/18)
Länssjh Ryhov	0% (0/30)	0% (0/33)	0% (0/38)	0% (0/48)	0% (0/58)
Linköpings US	0% (0/52)	0% (0/57)	0% (0/61)	2% (1/51)	2% (1/45)
Ljungby las.	<5	<5	<5	<5	43% (3/7)
Mälarsjh Eskilstuna	2% (1/40)	0% (0/28)	0% (0/31)	0% (0/28)	4% (2/46)
Norrlands US	0% (0/28)	0% (0/26)	0% (0/25)	0% (0/23)	6% (2/33)
Örebro US	0% (0/28)	0% (0/31)	0% (0/23)	4% (1/28)	0% (0/39)
Örnsköldsviks sjh	20% (1/5)	<5	<5	0% (0/5)	0% (0/9)
Östersunds sjh	<5	<5	<5	0% (0/10)	0% (0/7)
Sahlgrenska US	1% (1/97)	0% (0/77)	0% (0/76)	1% (1/75)	20% (17/87)
Skånes US Lund	11% (6/54)	38% (20/53)	20% (10/49)	0% (0/55)	0% (0/64)
Skånes US Malmö	0% (0/24)	0% (0/26)	0% (0/11)	0% (0/24)	0% (0/10)
Skövde sjh	0% (0/40)	0% (0/47)	0% (0/55)	2% (1/48)	44% (26/59)
Sunderby sjh	0% (0/27)	0% (0/26)	0% (0/40)	0% (0/23)	0% (0/33)
Sundsvalls sjh	0% (0/17)	7% (1/14)	0% (0/23)	0% (0/10)	0% (0/25)
Trelleborgs las.	<5	<5	0% (0/5)	0% (0/7)	<5
Uddevalla sjh	0% (0/19)	0% (0/16)	0% (0/17)	0% (0/22)	32% (9/28)
Västerås sjh	0% (0/26)	0% (0/27)	4% (1/24)	16% (6/37)	70% (23/33)
Västerviks sjh	0% (0/14)	0% (0/31)	0% (0/35)	0% (0/35)	0% (0/31)
Visby las.	0% (0/15)	0% (0/10)	0% (0/20)	10% (1/10)	31% (4/13)

# 3 DAS28

## In this section

3.1	Percentage of patients (with no missing DAS 28) who reached low disease activity (DAS28 $\leq$ 3.2) 1 year after diagnosis (goal $\geq$ 75%), by unit and year of diagnosis. . . . .	9
3.2	Percentage of all patients (including patients with missing data) who reached low disease activity (DAS28 $\leq$ 3.2) 1 year after diagnosis, by unit and year of diagnosis. . . . .	10
3.3	Percentage of patients (with no missing DAS 28) who reached remission (DAS28 $<$ 2.6) 1 year after diagnosis (goal $\geq$ 55%), by unit and year of diagnosis. . . . .	11
3.4	Percentage of all patients (including patients with missing data) who reached remission (DAS28 $<$ 2.6) 1 year after diagnosis (goal $\geq$ 55%), by unit and year of diagnosis. . . . .	12

Table 3.1: Percentage of patients (with no missing DAS 28) who reached low disease activity (DAS28  $\leq$  3.2) 1 year after diagnosis (goal  $\geq$  75%), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	69% (434/632)	68% (382/561)	65% (280/431)	70% (397/567)	68% (503/736)
Akademiska sjh Uppsala	79% (11/14)	83% (10/12)	83% (5/6)	100% (13/13)	65% (15/23)
Alingsås las.	60% (3/5)	<5	<5	0	0
Ängelsholms sjh	<5	<5	0	0	0
Arvika sjh	0	0	0	<5	0
Blekingesjh	80% (12/15)	<5	0	<5	0
Bollnäs/Söderhamn sjh	64% (7/11)	90% (9/10)	80% (4/5)	100% (5/5)	<5
Borås sjh	48% (11/23)	50% (5/10)	50% (4/8)	60% (3/5)	78% (7/9)
Capio Movement	77% (17/22)	79% (11/14)	68% (13/19)	87% (13/15)	75% (12/16)
Capio Simrishamn	80% (8/10)	<5	<5	<5	<5
Centrallas. Växjö	<5	<5	0	<5	<5
Centralsjh Karlstad	<5	<5	<5	80% (4/5)	80% (8/10)
Centralsjh Kristianstad	70% (14/20)	80% (20/25)	56% (5/9)	76% (19/25)	60% (12/20)
CFR Stockholm	68% (34/50)	57% (27/47)	68% (17/25)	53% (17/32)	72% (79/110)
Danderyds sjh	0	0	0	64% (7/11)	55% (12/22)
Falu las.	74% (34/46)	82% (37/45)	69% (22/32)	80% (45/56)	81% (34/42)
Gävle/Hudiksvall sjh	60% (12/20)	64% (16/25)	53% (8/15)	62% (13/21)	56% (9/16)
Helsingborgs las.	<5	<5	0	0	0
Karolinska US	71% (95/134)	75% (82/110)	85% (77/91)	74% (72/97)	71% (70/99)
Länssjh Kalmar	67% (8/12)	<5	60% (6/10)	67% (6/9)	73% (8/11)
Länssjh Ryhov	83% (5/6)	50% (7/14)	24% (4/17)	67% (18/27)	65% (11/17)
Linköpings US	60% (12/20)	76% (13/17)	86% (12/14)	80% (20/25)	83% (15/18)
Ljungby las.	<5	<5	0	0	<5
Mälarsjh Eskilstuna	83% (15/18)	60% (9/15)	53% (10/19)	78% (14/18)	62% (25/40)
Norrlands US	65% (20/31)	52% (12/23)	45% (9/20)	62% (18/29)	61% (19/31)
Örebro US	45% (5/11)	76% (13/17)	67% (4/6)	33% (4/12)	75% (15/20)
Örnsköldsviks sjh	<5	0	<5	<5	<5
Östersunds sjh	<5	<5	0	<5	<5
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	80% (39/49)	74% (28/38)	73% (11/15)	78% (18/23)	76% (37/49)
Skånes US Lund	70% (16/23)	80% (32/40)	56% (15/27)	57% (13/23)	64% (16/25)
Skånes US Malmö	83% (5/6)	29% (2/7)	<5	<5	<5
Skövde sjh	46% (6/13)	33% (5/15)	50% (8/16)	67% (20/30)	58% (36/62)
Sunderby sjh	57% (8/14)	80% (8/10)	69% (9/13)	56% (5/9)	39% (7/18)
Sundsvalls sjh	67% (4/6)	<5	60% (3/5)	83% (5/6)	<5
Trelleborgs las.	<5	0	<5	0	0
Uddevalla sjh	20% (1/5)	<5	43% (3/7)	57% (4/7)	82% (9/11)
Västerås sjh	68% (13/19)	44% (8/18)	71% (10/14)	75% (21/28)	74% (14/19)
Västerviks sjh	62% (5/8)	71% (12/17)	44% (7/16)	60% (9/15)	65% (17/26)
Visby las.	64% (7/11)	60% (3/5)	83% (10/12)	<5	<5

Table 3.2: Percentage of all patients (including patients with missing data) who reached low disease activity (DAS28  $\leq$  3.2) 1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	33% (434/1305)	31% (382/1237)	22% (280/1284)	30% (397/1334)	35% (503/1450)
Akademiska sjh Uppsala	25% (11/44)	26% (10/38)	15% (5/34)	25% (13/53)	31% (15/49)
Alingsås las.	30% (3/10)	0% (0/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	0% (0/5)	0	0% (0/5)	0% (0/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	34% (12/35)	7% (1/15)	0% (0/16)	7% (1/14)	0% (0/5)
Bollnäs/Söderhamn sjh	47% (7/15)	56% (9/16)	33% (4/12)	33% (5/15)	67% (4/6)
Borås sjh	31% (11/35)	29% (5/17)	16% (4/25)	13% (3/23)	24% (7/29)
Capio Movement	50% (17/34)	41% (11/27)	37% (13/35)	37% (13/35)	39% (12/31)
Capio Simrishamn	62% (8/13)	25% (2/8)	20% (2/10)	10% (1/10)	<5
Centrallas. Växjö	6% (1/18)	7% (1/15)	0% (0/15)	12% (2/16)	14% (2/14)
Centralsjh Karlstad	<5	17% (1/6)	0% (0/8)	40% (4/10)	29% (8/28)
Centralsjh Kristianstad	47% (14/30)	54% (20/37)	22% (5/23)	45% (19/42)	38% (12/32)
CFR Stockholm	39% (34/88)	26% (27/104)	16% (17/104)	16% (17/108)	54% (79/147)
Danderyds sjh	0% (0/55)	0% (0/61)	0% (0/60)	14% (7/49)	19% (12/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	49% (34/70)	54% (37/68)	34% (22/65)	54% (45/83)	52% (34/65)
Gävle/Hudiksvall sjh	27% (12/44)	34% (16/47)	17% (8/47)	25% (13/51)	14% (9/63)
Helsingborgs las.	8% (1/12)	0% (0/13)	0% (0/18)	0% (0/31)	0% (0/11)
Karolinska US	53% (95/179)	53% (82/155)	50% (77/153)	47% (72/152)	47% (70/150)
Länssjh Kalmar	50% (8/16)	22% (2/9)	33% (6/18)	60% (6/10)	42% (8/19)
Länssjh Ryhov	14% (5/37)	18% (7/40)	9% (4/45)	35% (18/52)	18% (11/62)
Linköpings US	21% (12/56)	21% (13/61)	17% (12/69)	37% (20/54)	28% (15/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	33% (15/45)	29% (9/31)	29% (10/35)	44% (14/32)	48% (25/52)
Norrlands US	59% (20/34)	41% (12/29)	29% (9/31)	55% (18/33)	46% (19/41)
Örebro US	15% (5/34)	33% (13/39)	15% (4/26)	11% (4/38)	32% (15/47)
Örnsköldsviks sjh	20% (1/5)	<5	<5	29% (2/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	9% (1/11)	29% (2/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	33% (39/118)	31% (28/89)	12% (11/89)	21% (18/85)	34% (37/109)
Skånes US Lund	26% (16/62)	50% (32/64)	24% (15/62)	21% (13/63)	23% (16/70)
Skånes US Malmö	20% (5/25)	7% (2/30)	6% (1/16)	4% (1/27)	8% (1/13)
Skövde sjh	14% (6/42)	9% (5/54)	14% (8/59)	37% (20/54)	54% (36/67)
Sunderby sjh	26% (8/31)	29% (8/28)	20% (9/46)	19% (5/27)	20% (7/35)
Sundsvalls sjh	22% (4/18)	13% (2/15)	11% (3/27)	45% (5/11)	4% (1/26)
Trelleborgs las.	<5	<5	0% (0/6)	0% (0/7)	<5
Uddevalla sjh	5% (1/22)	11% (2/19)	14% (3/21)	16% (4/25)	32% (9/28)
Västerås sjh	45% (13/29)	25% (8/32)	29% (10/35)	49% (21/43)	38% (14/37)
Västerviks sjh	29% (5/17)	35% (12/34)	17% (7/41)	22% (9/40)	50% (17/34)
Visby las.	44% (7/16)	27% (3/11)	50% (10/20)	20% (2/10)	15% (2/13)

Table 3.3: Percentage of patients (with no missing DAS 28) who reached remission (DAS28 < 2.6) 1 year after diagnosis (goal  $\geq$  55%), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	50% (316/632)	51% (285/561)	46% (200/431)	53% (300/567)	51% (372/736)
Akademiska sjh Uppsala	43% (6/14)	75% (9/12)	67% (4/6)	85% (11/13)	39% (9/23)
Alingsås las.	60% (3/5)	<5	<5	0	0
Ängelsholms sjh	<5	<5	0	0	0
Arvika sjh	0	0	0	<5	0
Blekingesjh	67% (10/15)	<5	0	<5	0
Bollnäs/Söderhamn sjh	45% (5/11)	90% (9/10)	80% (4/5)	100% (5/5)	<5
Borås sjh	26% (6/23)	30% (3/10)	25% (2/8)	20% (1/5)	56% (5/9)
Capio Movement	77% (17/22)	57% (8/14)	42% (8/19)	73% (11/15)	62% (10/16)
Capio Simrishamn	60% (6/10)	<5	<5	<5	<5
Centrallas. Växjö	<5	<5	0	<5	<5
Centralsjh Karlstad	<5	<5	<5	60% (3/5)	60% (6/10)
Centralsjh Kristianstad	45% (9/20)	52% (13/25)	33% (3/9)	44% (11/25)	45% (9/20)
CFR Stockholm	40% (20/50)	47% (22/47)	48% (12/25)	41% (13/32)	54% (59/110)
Danderyds sjh	0	0	0	45% (5/11)	36% (8/22)
Falu las.	54% (25/46)	62% (28/45)	50% (16/32)	62% (35/56)	60% (25/42)
Gävle/Hudiksvall sjh	35% (7/20)	32% (8/25)	40% (6/15)	33% (7/21)	38% (6/16)
Helsingborgs las.	<5	<5	0	0	0
Karolinska US	56% (75/134)	61% (67/110)	62% (56/91)	59% (57/97)	51% (50/99)
Länssjh Kalmar	58% (7/12)	<5	30% (3/10)	44% (4/9)	55% (6/11)
Länssjh Ryhov	50% (3/6)	0% (0/14)	18% (3/17)	44% (12/27)	53% (9/17)
Linköpings US	55% (11/20)	47% (8/17)	64% (9/14)	68% (17/25)	50% (9/18)
Ljungby las.	<5	<5	0	0	<5
Mälarsjh Eskilstuna	78% (14/18)	53% (8/15)	37% (7/19)	61% (11/18)	45% (18/40)
Norrlands US	32% (10/31)	30% (7/23)	40% (8/20)	48% (14/29)	48% (15/31)
Örebro US	45% (5/11)	71% (12/17)	50% (3/6)	25% (3/12)	60% (12/20)
Örnsköldsviks sjh	<5	0	<5	<5	<5
Östersunds sjh	<5	<5	0	<5	<5
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	57% (28/49)	63% (24/38)	40% (6/15)	52% (12/23)	55% (27/49)
Skånes US Lund	48% (11/23)	62% (25/40)	37% (10/27)	43% (10/23)	52% (13/25)
Skånes US Malmö	83% (5/6)	29% (2/7)	<5	<5	<5
Skövde sjh	46% (6/13)	20% (3/15)	25% (4/16)	57% (17/30)	42% (26/62)
Sunderby sjh	29% (4/14)	50% (5/10)	38% (5/13)	44% (4/9)	28% (5/18)
Sundsvalls sjh	33% (2/6)	<5	40% (2/5)	67% (4/6)	<5
Trelleborgs las.	<5	0	<5	0	0
Uddevalla sjh	0% (0/5)	<5	43% (3/7)	29% (2/7)	73% (8/11)
Västerås sjh	42% (8/19)	28% (5/18)	50% (7/14)	61% (17/28)	63% (12/19)
Västerviks sjh	62% (5/8)	41% (7/17)	44% (7/16)	60% (9/15)	50% (13/26)
Visby las.	36% (4/11)	40% (2/5)	83% (10/12)	<5	<5

Table 3.4: Percentage of all patients (including patients with missing data) who reached remission (DAS28 < 2.6) 1 year after diagnosis (goal  $\geq$  55%), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	24% (316/1305)	23% (285/1237)	16% (200/1284)	22% (300/1334)	26% (372/1450)
Akademiska sjh Uppsala	14% (6/44)	24% (9/38)	12% (4/34)	21% (11/53)	18% (9/49)
Alingsås las.	30% (3/10)	0% (0/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	0% (0/5)	0	0% (0/5)	0% (0/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	29% (10/35)	7% (1/15)	0% (0/16)	0% (0/14)	0% (0/5)
Bollnäs/Söderhamn sjh	33% (5/15)	56% (9/16)	33% (4/12)	33% (5/15)	50% (3/6)
Borås sjh	17% (6/35)	18% (3/17)	8% (2/25)	4% (1/23)	17% (5/29)
Capio Movement	50% (17/34)	30% (8/27)	23% (8/35)	31% (11/35)	32% (10/31)
Capio Simrishamn	46% (6/13)	25% (2/8)	10% (1/10)	10% (1/10)	<5
Centrallas. Växjö	6% (1/18)	0% (0/15)	0% (0/15)	6% (1/16)	14% (2/14)
Centralsjh Karlstad	<5	17% (1/6)	0% (0/8)	30% (3/10)	21% (6/28)
Centralsjh Kristianstad	30% (9/30)	35% (13/37)	13% (3/23)	26% (11/42)	28% (9/32)
CFR Stockholm	23% (20/88)	21% (22/104)	12% (12/104)	12% (13/108)	40% (59/147)
Danderyds sjh	0% (0/55)	0% (0/61)	0% (0/60)	10% (5/49)	13% (8/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	36% (25/70)	41% (28/68)	25% (16/65)	42% (35/83)	38% (25/65)
Gävle/Hudiksvall sjh	16% (7/44)	17% (8/47)	13% (6/47)	14% (7/51)	10% (6/63)
Helsingborgs las.	0% (0/12)	0% (0/13)	0% (0/18)	0% (0/31)	0% (0/11)
Karolinska US	42% (75/179)	43% (67/155)	37% (56/153)	38% (57/152)	33% (50/150)
Länssjh Kalmar	44% (7/16)	22% (2/9)	17% (3/18)	40% (4/10)	32% (6/19)
Länssjh Ryhov	8% (3/37)	0% (0/40)	7% (3/45)	23% (12/52)	15% (9/62)
Linköpings US	20% (11/56)	13% (8/61)	13% (9/69)	31% (17/54)	17% (9/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	31% (14/45)	26% (8/31)	20% (7/35)	34% (11/32)	35% (18/52)
Norrlands US	29% (10/34)	24% (7/29)	26% (8/31)	42% (14/33)	37% (15/41)
Örebro US	15% (5/34)	31% (12/39)	12% (3/26)	8% (3/38)	26% (12/47)
Örnsköldsviks sjh	0% (0/5)	<5	<5	29% (2/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	0% (0/11)	14% (1/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	24% (28/118)	27% (24/89)	7% (6/89)	14% (12/85)	25% (27/109)
Skånes US Lund	18% (11/62)	39% (25/64)	16% (10/62)	16% (10/63)	19% (13/70)
Skånes US Malmö	20% (5/25)	7% (2/30)	0% (0/16)	0% (0/27)	8% (1/13)
Skövde sjh	14% (6/42)	6% (3/54)	7% (4/59)	31% (17/54)	39% (26/67)
Sunderby sjh	13% (4/31)	18% (5/28)	11% (5/46)	15% (4/27)	14% (5/35)
Sundsvalls sjh	11% (2/18)	7% (1/15)	7% (2/27)	36% (4/11)	0% (0/26)
Trelleborgs las.	<5	<5	0% (0/6)	0% (0/7)	<5
Uddevalla sjh	0% (0/22)	5% (1/19)	14% (3/21)	8% (2/25)	29% (8/28)
Västerås sjh	28% (8/29)	16% (5/32)	20% (7/35)	40% (17/43)	32% (12/37)
Västerviks sjh	29% (5/17)	21% (7/34)	17% (7/41)	22% (9/40)	38% (13/34)
Visby las.	25% (4/16)	18% (2/11)	50% (10/20)	0% (0/10)	15% (2/13)



# 4 VAS Pain

## In this section

4.1	Percentage of patients (with no missing value of VAS pain) who reached VAS pain < 20 1 year after diagnosis (goal $\geq$ 50%), by unit and year of diagnosis. . . . .	14
4.2	Percentage of all patients (including patients with missing data) who reached VAS pain <20 1 year after diagnosis, by unit and year of diagnosis. . . . .	15

Table 4.1: Percentage of patients (with no missing value of VAS pain) who reached VAS pain < 20 1 year after diagnosis (goal  $\geq 50\%$ ), by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	50% (357/718)	49% (307/631)	44% (219/498)	44% (274/621)	47% (377/805)
Akademiska sjh Uppsala	53% (9/17)	57% (8/14)	36% (4/11)	47% (7/15)	46% (12/26)
Alingsås las.	20% (1/5)	<5	<5	0	0
Ängelsholms sjh	<5	<5	0	0	<5
Arvika sjh	0	0	0	<5	0
Blekingesjh	53% (8/15)	20% (1/5)	<5	<5	0
Bollnäs/Söderhamn sjh	36% (4/11)	50% (5/10)	80% (4/5)	60% (3/5)	<5
Borås sjh	30% (7/23)	27% (3/11)	60% (6/10)	40% (2/5)	60% (6/10)
Capio Movement	50% (11/22)	47% (8/17)	30% (6/20)	57% (8/14)	39% (7/18)
Capio Simrishamn	91% (10/11)	<5	<5	<5	<5
Centrallas. Växjö	0	<5	<5	<5	<5
Centralsjh Karlstad	<5	<5	<5	0% (0/5)	64% (7/11)
Centralsjh Kristianstad	30% (6/20)	44% (11/25)	58% (7/12)	27% (7/26)	52% (12/23)
CFR Stockholm	60% (30/50)	54% (27/50)	48% (11/23)	52% (17/33)	44% (51/116)
Danderyds sjh	69% (24/35)	21% (4/19)	57% (4/7)	50% (8/16)	40% (10/25)
Falu las.	54% (29/54)	48% (24/50)	49% (20/41)	52% (32/61)	47% (21/45)
Gävle/Hudiksvall sjh	30% (6/20)	46% (12/26)	24% (4/17)	22% (5/23)	31% (5/16)
Helsingborgs las.	<5	<5	<5	<5	0
Karolinska US	61% (84/137)	62% (71/114)	65% (60/93)	47% (47/100)	55% (58/105)
Länssjh Kalmar	42% (5/12)	<5	44% (4/9)	44% (4/9)	33% (4/12)
Länssjh Ryhov	50% (4/8)	21% (3/14)	32% (6/19)	44% (14/32)	65% (13/20)
Linköpings US	32% (8/25)	48% (10/21)	50% (9/18)	56% (15/27)	20% (4/20)
Ljungby las.	<5	<5	0	0	<5
Mälarsjh Eskilstuna	55% (11/20)	50% (8/16)	21% (4/19)	44% (8/18)	40% (17/42)
Norrlands US	34% (11/32)	44% (11/25)	29% (6/21)	41% (12/29)	50% (18/36)
Örebro US	25% (3/12)	37% (7/19)	29% (2/7)	14% (2/14)	48% (11/23)
Örnsköldsviks sjh	<5	0	<5	<5	<5
Östersunds sjh	<5	<5	0	<5	<5
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	51% (25/49)	56% (23/41)	39% (9/23)	47% (14/30)	47% (25/53)
Skånes US Lund	48% (15/31)	61% (27/44)	57% (16/28)	46% (11/24)	61% (19/31)
Skånes US Malmö	20% (2/10)	75% (6/8)	20% (1/5)	<5	<5
Skövde sjh	62% (8/13)	6% (1/16)	18% (3/17)	36% (12/33)	47% (29/62)
Sunderby sjh	39% (7/18)	50% (8/16)	50% (9/18)	60% (6/10)	24% (5/21)
Sundsvalls sjh	29% (2/7)	40% (2/5)	17% (1/6)	50% (3/6)	<5
Trelleborgs las.	<5	0	<5	<5	<5
Uddevalla sjh	44% (4/9)	29% (2/7)	12% (1/8)	11% (1/9)	38% (5/13)
Västerås sjh	45% (9/20)	42% (8/19)	50% (9/18)	66% (21/32)	48% (10/21)
Västerviks sjh	30% (3/10)	33% (5/15)	29% (5/17)	16% (3/19)	57% (13/23)
Visby las.	36% (4/11)	40% (2/5)	42% (5/12)	<5	<5

Table 4.2: Percentage of all patients (including patients with missing data) who reached VAS pain &lt;20 1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	27% (357/1305)	25% (307/1237)	17% (219/1284)	21% (274/1334)	26% (377/1450)
Akademiska sjh Uppsala	20% (9/44)	21% (8/38)	12% (4/34)	13% (7/53)	24% (12/49)
Alingsås las.	10% (1/10)	0% (0/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	40% (2/5)	0	0% (0/5)	11% (1/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	23% (8/35)	7% (1/15)	0% (0/16)	7% (1/14)	0% (0/5)
Bollnäs/Söderhamn sjh	27% (4/15)	31% (5/16)	33% (4/12)	20% (3/15)	50% (3/6)
Borås sjh	20% (7/35)	18% (3/17)	24% (6/25)	9% (2/23)	21% (6/29)
Capio Movement	32% (11/34)	30% (8/27)	17% (6/35)	23% (8/35)	23% (7/31)
Capio Simrishamn	77% (10/13)	12% (1/8)	10% (1/10)	20% (2/10)	<5
Centrallas. Växjö	0% (0/18)	7% (1/15)	0% (0/15)	0% (0/16)	14% (2/14)
Centralsjh Karlstad	<5	17% (1/6)	0% (0/8)	0% (0/10)	25% (7/28)
Centralsjh Kristianstad	20% (6/30)	30% (11/37)	30% (7/23)	17% (7/42)	38% (12/32)
CFR Stockholm	34% (30/88)	26% (27/104)	11% (11/104)	16% (17/108)	35% (51/147)
Danderyds sjh	44% (24/55)	7% (4/61)	7% (4/60)	16% (8/49)	16% (10/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	41% (29/70)	35% (24/68)	31% (20/65)	39% (32/83)	32% (21/65)
Gävle/Hudiksvall sjh	14% (6/44)	26% (12/47)	9% (4/47)	10% (5/51)	8% (5/63)
Helsingborgs las.	8% (1/12)	8% (1/13)	6% (1/18)	6% (2/31)	0% (0/11)
Karolinska US	47% (84/179)	46% (71/155)	39% (60/153)	31% (47/152)	39% (58/150)
Länssjh Kalmar	31% (5/16)	33% (3/9)	22% (4/18)	40% (4/10)	21% (4/19)
Länssjh Ryhov	11% (4/37)	8% (3/40)	13% (6/45)	27% (14/52)	21% (13/62)
Linköpings US	14% (8/56)	16% (10/61)	13% (9/69)	28% (15/54)	7% (4/54)
Ljungby las.	<5	<5	<5	<5	29% (2/7)
Mälarsjh Eskilstuna	24% (11/45)	26% (8/31)	11% (4/35)	25% (8/32)	33% (17/52)
Norrlands US	32% (11/34)	38% (11/29)	19% (6/31)	36% (12/33)	44% (18/41)
Örebro US	9% (3/34)	18% (7/39)	8% (2/26)	5% (2/38)	23% (11/47)
Örnsköldsviks sjh	40% (2/5)	<5	<5	29% (2/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	9% (1/11)	14% (1/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	21% (25/118)	26% (23/89)	10% (9/89)	16% (14/85)	23% (25/109)
Skånes US Lund	24% (15/62)	42% (27/64)	26% (16/62)	17% (11/63)	27% (19/70)
Skånes US Malmö	8% (2/25)	20% (6/30)	6% (1/16)	7% (2/27)	15% (2/13)
Skövde sjh	19% (8/42)	2% (1/54)	5% (3/59)	22% (12/54)	43% (29/67)
Sunderby sjh	23% (7/31)	29% (8/28)	20% (9/46)	22% (6/27)	14% (5/35)
Sundsvalls sjh	11% (2/18)	13% (2/15)	4% (1/27)	27% (3/11)	4% (1/26)
Trelleborgs las.	<5	<5	17% (1/6)	0% (0/7)	<5
Uddevalla sjh	18% (4/22)	11% (2/19)	5% (1/21)	4% (1/25)	18% (5/28)
Västerås sjh	31% (9/29)	25% (8/32)	26% (9/35)	49% (21/43)	27% (10/37)
Västerviks sjh	18% (3/17)	15% (5/34)	12% (5/41)	8% (3/40)	38% (13/34)
Visby las.	25% (4/16)	18% (2/11)	25% (5/20)	10% (1/10)	8% (1/13)

# 5 CDAI

## In this section

- 5.1 Percentage of patients (with no missing CDAI) who reached CDAI  $\leq$  2.8 1 year after diagnosis, by unit and year of diagnosis. . . . . 17
- 5.2 Percentage of all patients (including patients with missing data) who reached CDAI  $\leq$  2.8 1 year after diagnosis, by unit and year of diagnosis. 18

Table 5.1: Percentage of patients (with no missing CDAI) who reached CDAI ≤ 2.8 1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	32% (106/336)	36% (113/316)	36% (86/238)	35% (95/268)	33% (131/392)
Akademiska sjh Uppsala	29% (2/7)	67% (6/9)	60% (3/5)	38% (3/8)	17% (2/12)
Alingsås las.	<5	<5	<5	0	0
Ängelsholms sjh	<5	0	0	0	0
Blekingesjh	<5	<5	0	<5	0
Bollnäs/Söderhamn sjh	50% (5/10)	14% (1/7)	<5	<5	<5
Borås sjh	14% (2/14)	20% (1/5)	<5	<5	<5
Capio Movement	20% (2/10)	12% (1/8)	<5	60% (6/10)	22% (2/9)
Capio Simrishamn	44% (4/9)	0	0	0	0
Centrallas. Växjö	0	0	0	0	<5
Centralsjh Karlstad	<5	<5	<5	<5	43% (3/7)
Centralsjh Kristianstad	16% (3/19)	29% (6/21)	30% (3/10)	21% (5/24)	30% (6/20)
CFR Stockholm	32% (7/22)	47% (9/19)	40% (2/5)	27% (4/15)	30% (24/79)
Danderyds sjh	30% (3/10)	0% (0/7)	20% (1/5)	14% (1/7)	22% (2/9)
Falu las.	<5	<5	0	<5	<5
Gävle/Hudiksvall sjh	23% (3/13)	15% (3/20)	31% (5/16)	24% (4/17)	33% (2/6)
Helsingborgs las.	<5	0	<5	0	0
Karolinska US	35% (31/89)	40% (34/85)	54% (36/67)	39% (25/64)	36% (22/61)
Länssjh Kalmar	<5	<5	40% (2/5)	<5	50% (4/8)
Länssjh Ryhov	<5	0% (0/10)	29% (2/7)	37% (7/19)	13% (2/15)
Linköpings US	32% (6/19)	18% (3/17)	36% (5/14)	53% (9/17)	26% (5/19)
Ljungby las.	<5	<5	0	0	<5
Mälarsjh Eskilstuna	38% (5/13)	14% (1/7)	11% (1/9)	20% (2/10)	24% (5/21)
Norrlands US	<5	38% (3/8)	14% (2/14)	<5	56% (5/9)
Örebro US	<5	<5	<5	<5	30% (3/10)
Örnsköldsviks sjh	0	0	<5	<5	<5
Östersunds sjh	0	0	0	0	<5
Sahlgrenska US	44% (11/25)	36% (5/14)	44% (4/9)	33% (2/6)	42% (8/19)
Skånes US Lund	31% (8/26)	59% (24/41)	25% (7/28)	38% (9/24)	41% (12/29)
Skånes US Malmö	14% (1/7)	50% (4/8)	<5	<5	<5
Skövde sjh	<5	0	<5	50% (3/6)	19% (5/26)
Sunderby sjh	0	<5	<5	<5	<5
Trelleborgs las.	<5	0	<5	0	0
Uddevalla sjh	<5	0	<5	0	40% (2/5)
Västerås sjh	42% (5/12)	14% (1/7)	56% (5/9)	57% (8/14)	60% (6/10)
Västerviks sjh	<5	0% (0/7)	20% (1/5)	0	0
Visby las.	<5	<5	<5	0	0

Table 5.2: Percentage of all patients (including patients with missing data) who reached CDAI  $\leq 2.8$  1 year after diagnosis, by unit and year of diagnosis.

Unit	2017	2018	2019	2020	2021
Riket	8% (106/1305)	9% (113/1237)	7% (86/1284)	7% (95/1334)	9% (131/1450)
Akademiska sjh Uppsala	5% (2/44)	16% (6/38)	9% (3/34)	6% (3/53)	4% (2/49)
Alingsås las.	0% (0/10)	0% (0/8)	<5	<5	0% (0/6)
Ängelsholms sjh	20% (1/5)	0% (0/5)	0	0% (0/5)	0% (0/9)
Arvika sjh	<5	<5	<5	<5	0
Blekingesjh	3% (1/35)	0% (0/15)	0% (0/16)	0% (0/14)	0% (0/5)
Bollnäs/Söderhamn sjh	33% (5/15)	6% (1/16)	0% (0/12)	13% (2/15)	33% (2/6)
Borås sjh	6% (2/35)	6% (1/17)	4% (1/25)	0% (0/23)	7% (2/29)
Capio Movement	6% (2/34)	4% (1/27)	0% (0/35)	17% (6/35)	6% (2/31)
Capio Simrishamn	31% (4/13)	0% (0/8)	0% (0/10)	0% (0/10)	<5
Centrallas. Växjö	0% (0/18)	0% (0/15)	0% (0/15)	0% (0/16)	7% (1/14)
Centralsjh Karlstad	<5	17% (1/6)	0% (0/8)	0% (0/10)	11% (3/28)
Centralsjh Kristianstad	10% (3/30)	16% (6/37)	13% (3/23)	12% (5/42)	19% (6/32)
CFR Stockholm	8% (7/88)	9% (9/104)	2% (2/104)	4% (4/108)	16% (24/147)
Danderyds sjh	5% (3/55)	0% (0/61)	2% (1/60)	2% (1/49)	3% (2/63)
Falkenberg VC	0	<5	0	0	<5
Falu las.	0% (0/70)	3% (2/68)	0% (0/65)	0% (0/83)	3% (2/65)
Gävle/Hudiksvall sjh	7% (3/44)	6% (3/47)	11% (5/47)	8% (4/51)	3% (2/63)
Helsingborgs las.	0% (0/12)	0% (0/13)	6% (1/18)	0% (0/31)	0% (0/11)
Karolinska US	17% (31/179)	22% (34/155)	24% (36/153)	16% (25/152)	15% (22/150)
Länssjh Kalmar	12% (2/16)	11% (1/9)	11% (2/18)	10% (1/10)	21% (4/19)
Länssjh Ryhov	3% (1/37)	0% (0/40)	4% (2/45)	13% (7/52)	3% (2/62)
Linköpings US	11% (6/56)	5% (3/61)	7% (5/69)	17% (9/54)	9% (5/54)
Ljungby las.	<5	<5	<5	<5	14% (1/7)
Mälarsjh Eskilstuna	11% (5/45)	3% (1/31)	3% (1/35)	6% (2/32)	10% (5/52)
Norrlands US	6% (2/34)	10% (3/29)	6% (2/31)	3% (1/33)	12% (5/41)
Örebro US	0% (0/34)	8% (3/39)	0% (0/26)	0% (0/38)	6% (3/47)
Örnsköldsviks sjh	0% (0/5)	<5	<5	14% (1/7)	8% (1/12)
Östersunds sjh	<5	<5	<5	0% (0/11)	14% (1/7)
Rabi Dash	0	0	0	0	<5
Sahlgrenska US	9% (11/118)	6% (5/89)	4% (4/89)	2% (2/85)	7% (8/109)
Skånes US Lund	13% (8/62)	38% (24/64)	11% (7/62)	14% (9/63)	17% (12/70)
Skånes US Malmö	4% (1/25)	13% (4/30)	6% (1/16)	4% (1/27)	8% (1/13)
Skövde sjh	0% (0/42)	0% (0/54)	2% (1/59)	6% (3/54)	7% (5/67)
Sunderby sjh	0% (0/31)	7% (2/28)	4% (2/46)	4% (1/27)	0% (0/35)
Sundsvalls sjh	0% (0/18)	0% (0/15)	0% (0/27)	0% (0/11)	0% (0/26)
Trelleborgs las.	<5	<5	0% (0/6)	0% (0/7)	<5
Uddevalla sjh	0% (0/22)	0% (0/19)	0% (0/21)	0% (0/25)	7% (2/28)
Västerås sjh	17% (5/29)	3% (1/32)	14% (5/35)	19% (8/43)	16% (6/37)
Västerviks sjh	0% (0/17)	0% (0/34)	2% (1/41)	0% (0/40)	0% (0/34)
Visby las.	0% (0/16)	9% (1/11)	5% (1/20)	0% (0/10)	0% (0/13)